

Ruko



ScanFlex

stainless steel lever handles and accessories
- simple and functional

ScanFlex

Lever handles and accessories with a simple, functional design



ScanFlex is a classic, matching product series containing fittings and door accessories. The series makes it possible to combine high security with simple lines and functionality.

The products in the ScanFlex series have been inspired by Scandinavian design, which is also found in the furnishings of many workplaces and homes. The desire for functionality and quality in interior design can now be combined with the desire for a uniform expression down to the finest detail.

TIMELESS EXPRESSION


The ScanFlex series is produced in brushed stainless steel with a matt finish, well-known from other everyday items in the home – such as sinks and cutlery. The classic Scandinavian design and high quality make the series well-suited for use in environments where there is an emphasis on timeless and durable solutions.

The simple look reflected throughout the entire product series creates a consistent expression, so that your furnishings gives the impression of an elegant, uniform whole.

EFFECTIVE SECURITY


The ScanFlex series contains lever handles, various types of door accessories, and cylinder rings, and the range will be extended over the next few years. The series is suited to the other products in Ruko's product range and can thus be combined with all existing lock systems without impacting on security.

The series has been developed in close cooperation with Ruko's fellow subsidiaries and fulfils all Danish lock regulations and standards. This ensures effective security against break-in, so security has not been compromised even though the focus has been on a simple look.




NORDIC COUPÉ

Classic 19 mm satin stainless steel lever handle
 Dimensions: 60 x 120 mm
 Ref. No. 954.504



STOCKHOLM


Modern 16 mm satin stainless steel lever handle
 Dimensions: 58 x 131 mm
 Ref. No. 954.505



COPENHAGEN


Modern 19 mm satin stainless steel lever handle
 Dimensions: 65 x 130 mm
 Ref. No. 954.520

Stainless steel: AISI 304 Supplied as pair incl. screws and spindle
 Clip-on roses: 54 x 6 mm Concealed fixing
 Door thickness: 32 - 65 mm 30 and 38 mm centre distances on each rose



OSLO

Modern 19 mm satin stainless steel lever handle
 Dimensions: 58 x 130 mm
 Ref. No. 954.521




661 STAINLESS STEEL LOOK

Lever handle with fixed roses.
 Supplied as pair with an 8 x 8 mm spindle.
 M5 connecting screws including bushes.
 Surface: Stainless steel look
 Material: Brass
 Door thickness: 35 - 65 mm
 Centre distance: 30 mm
 Dimensions: 56 x 110 mm
 Ref. No. 932.084

Stainless steel: AISI 304 Supplied as pair incl. screws and spindle
 Clip-on roses: 54 x 6 mm Concealed fixing
 Door thickness: 32 - 65 mm 30 and 38 mm centre distances on each rose


Lever handle Nordic
with clip rose

Stainless steel: AISI 304 Supplied as pair incl. screws and spindle
Clip-on roses: 54 x 6 mm Concealed mounting
Door thickness: 32 - 65 mm 30 and 38 mm centre distances on each rose




**NORDIC
L-FORM**

Classic 16 mm satin stainless steel lever handle
Dimensions: 58 x 130 mm
Ref. No. 954.502




**NORDIC
U-FORM**

Classic 16 mm satin stainless steel lever handle
Dimensions: 57 X 132 mm
Ref. No. 954.500



**NORDIC
L-FORM**

Classic 19 mm satin stainless steel lever handle
Dimensions: 62 x 135 mm
Ref. No. 954.503




**NORDIC
U-FORM**

Classic 19 mm satin stainless steel lever handle
Dimensions: 63 x 142 mm
Ref. No. 954.501


Stainless steel: AISI 304 Supplied as pair incl. screws and spindle
Clip-on roses: 54 x 6 mm Concealed fixing
Door thickness: 32 - 65 mm 30 and 38 mm centre distances on each rose

L e v e r h a n d l e S c a n d i n a v i a
w i t h f l a t r o s e




**SCANDINAVIA
L-SHAPE**

Classic 16 mm lever handle
in satin stainless steel
Supplied incl. roses,
2 pcs. of M4 x 75 mm screws
and 8 x 8 mm spindle
Model: 8616-121
Ref.No. 954.002




**SCANDINAVIA
L-SHAPE**

Classic 16 mm lever handle
in satin stainless steel
Supplied incl. roses,
2 pcs. of M4 x 75 mm
screws and 8 x 8 mm
spindle
Model: 8616-121
Ref.No. 954.002



**SCANDINAVIA
U-SHAPE**

Classic 16 mm lever handle
in satin stainless steel
Supplied incl. roses,
2 pcs. of M4 x 75 mm screws
and 8 x 8 mm spindle
Model: 8616-221
Ref.No. 954.005




**SCANDINAVIA
U-SHAPE**

Classic 19 mm lever handle
in satin stainless steel
Supplied incl. roses,
2 pcs. of M4 x 75 mm screws
and 8 x 8 mm spindle
Model: 8619-221
Ref.No. 954.011

Stainless Steel: AISI 304
Roses: 2 x 53 mm
Centerdistance: 30 mm (roses with 38 mm centre distance can be found at page 7)
Doorthickness: 35 - 45 mm
Scandinavia lever handles L & U-shaped without roses can be installed together with ScanFlex back plates

L e v e r h a n d l e S c a n d i n a v i a
w i t h o u t r o s e s



**SCANDINAVIA
L-SHAPE**

Classic 16 mm lever handle
in satin stainless steel
Supplied excl. roses
but incl. 8 x 8 mm spindle
Model: 8616-120
Ref.No. 954.001



**SCANDINAVIA
L-SHAPE**

Classic 19 mm lever handle
in satin stainless steel
Supplied excl. roses
but incl. 8 x 8 mm spindle
Model: 8619-120
Ref.No. 954.007



**SCANDINAVIA
U-SHAPE**

Classic 16 mm lever handle
in satin stainless steel
Supplied excl. roses
but incl. 8 x 8 mm spindle
Model: 8616-220
Ref.No. 954.004




**SCANDINAVIA
U-SHAPE**

Classic 19 mm lever handle
in satin stainless steel
Supplied excl. roses
but incl. 8 x 8 mm spindle
Model: 8619-220
Ref.No. 954.010

Stainless Steel: AISI 304
Roses: 2 x 53 mm
Centerdistance: 30 mm (roses with 38 mm centre
 distance can be found at page 7)
Doorthickness: 35 - 45 mm
Scandinavia lever handles L & U-shaped without
roses can be installed together with ScanFlex
back plates

Stainless steel:

AISI 304




ROSES FOR SCANDINAVIA LEVER HANDLES

Supplied as set incl. 2 pcs.
M4 x 75 mm screws
Dimensions: 2 x 53 mm


Centre distance: 30 mm
Model: 8621-300
Ref. No. 954.014

Centre distance: 38 mm
Model: 8621-380
Ref. No. 954.017



KEY ESCUTCHEONS

Supplied as set incl. 2 pcs.
M4 x 75 mm screws
Dimensions: 2 x 53 mm
Centre distance: 30 mm
Model: 8625-270
Ref. No. 954.052




CYLINDER RING EXTERNAL

Model: 412700

Ref. No.

- 136.506 6 mm
- 136.526 8 mm
- 136.546 11 mm
- 136.566 13 mm
- 136.586 16 mm
- 136.606 18 mm
- 136.626 21 mm
- 136.646 24 mm



CYLINDER RING INTERNAL

Model: 463507


Ref. No.

- 136.664 6 mm
- 136.674 8 mm
- 136.684 11 mm
- 136.694 13 mm
- 136.704 16 mm
- 136.714 18 mm
- 136.724 21 mm
- 136.734 24 mm

Use M5 connection screws (48527) for installation


Surface: Stainless steel look
Material: Brass
Suitable for ASSA modular lockcases
When installing double cylinder rings please use connection screws 48527 for installation.
When installing external cylinder ring and internal thumbturn 8620-220 please use M5 Connection screws 8999-xxx from page 9.

Stainless steel: AISI 304
To be installed with M5 connection screws 8999-xxx from page 9



THUMBTURN

supplied incl follwer and cylinder screws
Dimensions: 2 x 53 mm
Screw holes is suitable for both M4 & M5 connection screws 8999-xxx
Model: 8620-230
Ref. No. 954.018




TOILETINDICATOR

supplied as set incl. 2 pcs.
M4 x 75 mm connection screws and follower for ASSA 565T modular lockcase
Dimensions: 2 x 53 mm
Centre distance: 30 mm
Model: 8628-300
Ref. No. 954.047

Stainless steel: AISI 304



Stainless steel: AISI 304




BLIND ROSES FOR M4 CONNECTION SCREWS

supplied as set incl. 2 pcs M4 x 75 mm connection screws
Dimensions: 2 x 53 mm
Centre distance: 30 mm
Model: 8624-300
Ref. No. 954.041

External blind rose
Supplied incl. 2 pcs M4 x 75 mm connection screws
Model: 8624-302
Ref. No. 954.042

Internal blind rose
Supplied excl. screws
Model: 8624-301
Ref. No. 954.043




BLIND ROSES FOR M5 CONNECTION SCREWS

supplied as set incl. 2 pcs M5 x 75 mm connection screws
Dimensions: 2 x 53 mm
Centre distance: 30 mm
Model: 8627-300
Ref. No. 954.044


External blind rose
Supplied incl. 2 pcs M5 x 75 mm connection screws
Model: 8627-302
Ref. No. 954.045

Internal blind rose
Supplied excl. screws
Model: 8627-301
Ref. No. 954.046



CYLINDER ROSES FOR OVAL CYLINDER

supplied as set incl. 2 pcs.
 M4 x 75 mm connection screws
 Dimensions: 2 x 53 mm
 Centre distance: 30 mm
 Model: 8623-300
 Ref. No. 954.020




EXTERNAL CYLINDER ROSE FOR OVAL CYLINDER

Supplied incl. 2 pcs.
 M4 x 75 mm connection screws
 Dimensions: 2 x 53 mm
 Centre distance: 30 mm
 Model: 8623-302
 Ref. No. 954.021

Stainless steel:

AISI 304



CYLINDER ROSES FOR EURO PROFILE CYLINDER

supplied as set incl. 2 pcs.
 M4 x 75 mm connection screws
 Dimensions: 2 x 53 mm
 Centre distance: 38 mm
 Model: 8623-380
 Ref. No. 954.023



M4 CONNECTION SCREWS

M4 x 75 mm
 Model: 8999-475
 Ref. No. 954.095


M4 x 110 mm
 Model: 8999-410
 Ref. No. 954.096



M5 CONNECTION SCREWS

M5 x 75 mm
 Model: 8999-575
 Ref. No. 954.097

M5 x 110 mm
 Model: 8999-510
 Ref. No. 954.098



**CYLINDER
ESCUTCHEON**

Model: PZ

Dimensions: Ø54 x 6 mm

Centre distance 38 mm

Ref. No. 954.519



**M5
BUSH**

Model: 48528

M5

Ref. No. 793.620



**M5 CONNECTING
SCREWS**

Model 48527

Ref. No.

793.612 M5 x 40 mm

793.613 M5 x 45 mm

793.614 M5 x 50 mm

793.615 M5 x 55 mm

793.616 M5 x 60 mm

793.617 M5 x 65 mm


793.618 M5 x 70 mm

793.619 M5 x 90 mm


793.610 M5 x 100 mm

793.611 M5 x 110 mm


back plates



BLIND BACKPLATE
 Dimensions: 2 x 52 x 206 mm
 Model: 8659-520
 Ref. No. 954.053




BACKPLATE FOR LEVER HANDLE
 Dimensions: 2 x 52 x 206 mm
 Model: 8655-521
 Ref. No. 954.054




BACKPLATE FOR LEVER HANDLE AND CYLINDER
 Dimensions: 2 x 52 x 206 mm
 Model: 8652-522
 Ref. No. 954.055



Stainless steel: AISI 304
 Dimensions: 2 x 52 x 206 mm
 All backplates are supplied singly excl. screws
 Scandinavia lever handles L & U-shape without roses can be used together with backplates




INTERNAL BACKPLATE WITH THUMBTURN
 Dimensions: 2 x 52 x 206 mm
 C: 105 mm
 Supplied incl. follower and cylinder screws
 Model: 8658-522
 Ref. No. 954.057



EXTERNAL BACKPLATE WITH TOILET INDICATOR
 Dimensions: 2 x 52 x 206 mm
 C: 105 mm
 Supplied incl. follower for ASSA 565T modular lockcase
 This backplate is used together with model: 8658-522
 Model: 8758-522
 Ref. No. 954.058

back plates

back plates




BACKPLATE FOR CYLINDER

Dimensions: 2 x 52 x 206 mm

Model: 8654-522

Ref. No. 954.056



BACKPLATE WITH THUMBTURN

Dimensions: 2 x 52 x 206 mm

Model: 8658-520

Ref. No. 954.066

Stainless steel:


AISI 304

Dimensions:

2 x 52 x 206 mm

All backplates are supplied singly excl. screws.

Scandinavia lever handles L & U-shape without roses can be used together with backplates



BACKPLATE FOR LEVER HANDLE AND EURO PROFILE CYLINDER

Dimensions: 2 x 52 x 206 mm

C: 72 mm


Model: 8652-721

Ref. No. 954.059

C: 92 mm

Model: 8652-921

Ref. No. 954.061



BACKPLATE FOR EURO PROFILE CYLINDER

Dimensions: 2 x 52 x 206 mm

C: 72 mm

Model: 8655-721


Ref. No. 954.060

C: 92 mm

Model: 8655-921


Ref. No. 954.062

back plates




BLIND BACKPLATE

Dimensions: 2 x 60 x 206 mm
 Model: 8659-600
 Ref. No. 954.063





BACKPLATE FOR LEVER HANDLE AND CYLINDER RING

C: 105 mm
 Dimensions: 2 x 60 x 206 mm
 Model: 8659-602
 Ref. No. 954.065



BACKPLATE FOR LEVER HANDLE

Dimensions: 2 x 60 x 206 mm
 Model: 8659-604
 Ref. No. 954.064




INTERNAL BACKPLATE WITH THUMBTURN

Dimensions: 2 x 60 x 206 mm
 C: 105 mm
 Supplied incl. follower and cylinder screws
 The holes around the thumbturn is suitable for M5 connection screws (8999-5xx)
 Model: 8659-613
 Ref. No. 954.068

Stainless steel: AISI 304
 Dimensions: 2 x 60 x 206 mm
 All backplates are supplied singly excl. screws
 Scandinavia lever handles L & U-shape without roses can be used together with backplates


back plates



INTERNAL BACKPLATE WITH THUMBTURN


Dimensions: 2 x 60 x 206 mm
C: 105 mm
Supplied incl. follower and cylinder screws
Model: 8659-603
Ref. No. 954.067

Stainless steel: AISI 304
Dimensions: 2 x 52 x 206 mm
All backplates are supplied singly excl. screws
Scandinavia lever handles L & U-shape without roses can be used together with backplates




EXTERNAL BACKPLATE WITH TOILET INDICATOR

Dimensions: 2 x 60 x 206 mm
C: 105 mm
Supplied incl. follower for ASSA 565T modular lockcase
This backplate is used together with model: 8659-603
Model: 8659-606
Ref. No. 954.072



BACKPLATE FOR CYLINDER RING

Dimensions: 2 x 60 x 206 mm
Model: 8659-604
Ref. No. 954.069




BACKPLATE WITH THUMBTURN

Dimensions: 2 x 60 x 206 mm
C: 105 mm
Supplied incl. follower and cylinder screws
The holes around the thumbturn is suitable for M5 connection screws (8999-5xx)
Model: 8659-615
Ref. No. 954.071



p u l l h a n d l e s




PULL HANDLE WITH FIXED ROSES

Supplied singly incl. screws
Dimensions: Ø19 x 200 mm
Ref. No. 954.509



PULL HANDLE WITHOUT ROSES


Dimensions: Ø25 x 300 mm
Single
Ref. No. 954.510
Double
Ref. No. 954.511



PULL HANDLE WITHOUT ROSES

Dimensions: Ø32 x 300 mm
Single
Ref. No. 954.512
Double
Ref. No. 954.513

Stainless steel: AISI 304
Supplied as pair
Door thickness: 10 - 45 mm
Incl. connection bolts Ø8 and accessories for glass doors



PULL HANDLE

Dimensions: Ø16 x 125 mm
Double
Ref. No. 954.522

Door thickness: 10 - 50 mm



CIRCULAR PULL WITHOUT ROSES

Dimensions: Ø32 x 300 mm
Double
Ref. No. 954.514

Stainless steel: AISI 304
Supplied for single or double installation
Pull handles for single installation are supplied with mounting bolts and accessories for glass doors
Pull handles for double installation are supplied with connection bolts and accessories for glass doors

s p a r e p a r t s



**SPINDLES
8 X 8 MM FOR
LEVER HANDLES**

Doorthickness: 35-45 mm

Model: 8999-010

Ref. No. 954.086

Doorthickness: 45-60 mm

Model: 8999-020

Ref. No. 954.087

Doorthickness: 60-75 mm

Model: 8999-030

Ref. No. 954.088



**ALLEN SCREW
FOR SCANDINAVIA
LEVER HANDLES**

M6 for 16 mm lever handles

Model: 8999-090

Ref. No. 954.089

M6 for 19 mm lever handles

Model: 8999-091

Ref. No. 954.102




**NYLON RING FOR
SCANDINAVIA
LEVER HANDLE**

Model: 8999-080

Ref. No. 954.090




door accessories




DOOR STOP

Floor door stop
with black rubber
Ø20 mm
Height: 55 mm
Ref. No. 954.507



DOOR STOP

Skirting bumper
with black rubber
Height: 70 mm
Rose: Ø50 x 5 mm
Ref. No. 954.508



DOOR STOP


Floor door stop
Ø45 mm
Height: 25 mm
Ref. No. 954.506

Stainless steel: AISI 304
Supplied excl. screws




Stainless steel:
Supplied incl. screws

AISI 304




PICTOGRAM

Dimensions: W 100 x H 149 mm
Ref. No. 954.516




PICTOGRAM

Dimensions: W 100 x H 149 mm
Ref. No. 954.515




FLUSH PULL HANDLE

Ext: W 50 x H 100 mm
Ref. No. 954.518



COAT HANGER

Height: 80 mm
Depth: 58 mm
Width: 19 mm
Ref. No. 954.517



Ruko

Ruko has been Denmark's leading supplier of locks and keys for more than 70 years. Today Ruko is a total supplier for the lock and security market, with a broad range of products and services which can help provide effective security in homes, institutions and commercial buildings.

Ruko focuses on supplying quality products to the high security market, with an elegant and functional design, produced and marketed with respect for human resources and the environment. Ruko works in close cooperation with its distributors who receive ongoing training in Ruko's extensive product range.

For further information see www.ruko.dk or contact us by telephone or email.

HEAD OFFICE AND FACTORY

Ruko A/S
Marielundvej 20
DK-2730 Herlev
DENMARK
Tel: +45 4454 4454
Fax: +45 4454 4444
email: ruko@ruko.dk
www.ruko.dk

An ASSA ABLOY Group company

Ruko A/S was founded in 1930 and is the market leader today in the area of locks and locking systems. Ruko A/S distributes its products via a well-established distributor network to all types of business and private customers.

The ASSA ABLOY Group is the world's leading manufacturer and supplier of locks and associated products, and focuses on consumers' needs for security, peace of mind, and user-friendly products.

