

Minipad 423

 CORNI

ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions



Minipad 423

Dispositivo di emergenza da applicare, azionato da piastra a spinta, idoneo anche per profili metallici e porte con fascia.

Caratteristiche:

- Modulare (per 1, 2 o 3 punti di chiusura)
- Adatto per porte ad anta singola o doppia
- Idoneo per porte tagliafuoco/antifumo
- Installabile anche su porte con profili metallici e porte con fascia
- Disponibile in diverse finiture e colori
- Larghezza gruppo meccanismo inferiore a 35 mm e altezza 103 mm
- Meccanismi in acciaio
- Braccini in zama
- Cover in acciaio
- Abbinabile al Kit Maniglia Jolly 04480 oppure a solo cilindro esterno
- Certificato CE (EN179) per porte montate su cerniere o perni, di altezza non superiore a 2520 mm e larghezza inferiore a 1320 mm

Da ordinare a parte:

- Kit Scrocchi Alto/Basso
- Kit Aste Verticali
- Kit Maniglia Esterna (Maniglia "Jolly" 04480) oppure solo cilindro

Testo per capitolato:

Dispositivo di emergenza da applicare, tipo B, certificato per installazione su porte tagliafuoco/antifumo, con coperture di altezza 103 mm e larghezza inferiore a 35 mm, idoneo per porte ad anta singola o doppia, anche con profilo metallico o fascia.

Rim emergency exit device operated by push pad, suitable also for metal profiles and doors with mid-rail.

Features:

- Modular (for 1, 2 or 3 locking points)
- Suitable for single or double leaf doors
- Certified for fire rated doors
- Can be installed also on doors with metal profiles and doors with mid-rail
- Available in different finishes and colours
- Mechanism width lower than 35 mm and height of 103 mm
- Steel mechanisms
- Zamak levers
- Steel covers
- Can be combined with external "Jolly" handle kit 04480 or with only external cylinder
- CE certified (EN179) for doors on hinges or pivots with height not higher than 2520 mm and width lower than 1320 mm


To be ordered separately:

- Upper/Lower Latches Kit
- Vertical Rods Kit
- External Handle Kit ("Jolly" Handle 04480) or only cylinder

Text for Specification:

Rim emergency exit device, type B, certified for fire rated doors, with covers height of 103 mm and width lower than 35 mm, suitable for single or double leaf doors also with metal profiles or mid-rail.





	Codice / Code	Finitura / Finish	gr.	
Rx/Rh	42306 00 100	Nero / Black	1.000	1
	42306 00 100GR	Grigio / Grey	1.000	1
	42306 00 100IN	Simil Inox / SS	1.000	1
Sx/Lh	42906 00 200	Nero / Black	1.000	1
	42906 00 200GR	Grigio / Grey	1.000	1
	42906 00 200IN	Simil Inox / SS	1.000	1

* Finiture su richiesta
* Finishes upon request

*WH = Bianco / White	*CR = Cromo / Chrome	*AU = Oro / Gold
----------------------	----------------------	------------------

Chiusura laterale
Lateral Locking

Chiusura duplice
Double locking

Chiusura triplice
Three locking points

Per ottenere la soluzione a due punti di chiusura, è necessario disabilitare lo scrocco centrale per mezzo del tappo copriforo in nylon incluso nella confezione del Minipad.
Per le combinazioni possibili, fare riferimento alla sezione "Configurazioni" alla fine del documento.

*For having two locking points solutions, it's necessary to disable the central latch using nylon cap included in the box.
For the combinations possible, see the relevant part "Compositions" at the end of the document.*

Accessori per Minipad Accessories for Minipad



Kit Scrocchi Alto/Basso Verticali
Upper/Lower Vertical Latches Kits

Codice / Code	Finitura / Finish	gr.	
03429 00 000	Nero / Black	1.000	1
03429 00 000GR	Grigio / Grey	1.000	1
03429 00 000IN	Simil Inox / SS	1.000	1

* Finiture su richiesta / Finishes upon request

*WH = Bianco / White

*CR = Cromo / Chrome

*AU = Oro / Gold



Kit Scrocchi Alto/Basso Lateral
Upper/Lower Lateral Latches Kits

Codice / Code	Finitura / Finish	gr.	
03429 00 050	Nero / Black	1.000	1
03429 00 050GR	Grigio / Grey	1.000	1
03429 00 050IN	Simil Inox / SS	1.000	1



Kit Scrocchi Alto Verticale/Basso Laterale
Upper Vertical/Lower Lateral Latches Kit

Dx	03429 00 100	Nero / Black	1.000	1
Dx	03429 00 100GR	Grigio / Grey	1.000	1
Dx	03429 00 100IN	Simil Inox / SS	1.000	1
Sx	03429 00 200	Nero / Black	1.000	1
Sx	03429 00 2100GR	Grigio / Grey	1.000	1
Sx	03429 00 200IN	Simil Inox / SS	1.000	1

* Finiture su richiesta / Finishes upon request

*WH = Bianco / White

*CR = Cromo / Chrome

*AU = Oro / Gold



Kit aste verticali con copriaste
Vertical rods Kit with covers

	Codice / Code	H. (mm) porte/doors	L. (mm) aste superiori / upper rods	gr.	
Nero / Black	04444 00 000	da 2200	1162	1.150	1
Grigio / Grey	04444 00 000GR	da 2200	1162	1.150	1
Simil Inox / SS	04444 00 000IN	da 2200	1162	1.150	1
Nero / Black	04444 01 000	da 2400	1362	1.310	1
Grigio / Grey	04444 01 000GR	da 2400	1362	1.310	1
Simil Inox / SS	04444 01 000IN	da 2400	1362	1.310	1

* Finiture su richiesta / Finishes upon request

*WH = Bianco / White

*CR = Cromo / Chrome

*AU = Oro / Gold

Accessori per Minipad Accessories for Minipad

Codice / Code	H. (mm) porte/doors	L. (mm) aste superiori / upper rods		
---------------	------------------------	--	---	---

Kit aste verticali con copriaste
Vertical rods Kit with covers

Nero / Black	04444 02 000	da 2600	1562	1.400	1
Grigio / Grey	04444 02 000GR	da 2600	1562	1.400	1
Simil Inox /SS	04444 02 000IN	da 2600	1562	1.400	1
Nero / Black	04444 03 000	da 2800	1762	1.490	1
Grigio / Grey	04444 03 000GR	da 2800	1762	1.490	1
Simil Inox /SS	04444 03 000IN	da 2800	1762	1.490	1
Nero / Black	04444 04 000	da 3000	1962	1.690	1
Grigio / Grey	04444 04 000GR	da 3000	1962	1.690	1
Simil Inox /SS	04444 04 000IN	da 3000	1962	1.690	1

* Finiture su richiesta / Finishes upon request

*WH = Bianco / White

*CR = Cromo / Chrome

*AU = Oro / Gold



Kit rosetta e mezzo cilindro
Single cylinder with escutcheon kit

Codice / Code	Finitura Finish	Spess. porte Door thickness		
---------------	--------------------	--------------------------------	---	---

Cod. CC505001810162B = 88 (78-10) mm

04440 05 000	Nichelato / Nickel plated	max 50 mm	190	1
---------------------	---------------------------	-----------	-----	---



Codice / Code	Finitura / Finish		
---------------	-------------------	---	---

Maniglia universale "Jolly" con cilindro profilato intercambiabile con altri cilindri di sicurezza
Universal handle Kit "Jolly" with profile cylinder interchangeable with other security cylinders

04480 08 000	Nero / Black	500	1
04480 08 000GR	Grigio / Grey	500	1
04480 08 000IN	Simil Inox /SS	500	1

* Finiture su richiesta / Finishes upon request

*WH = Bianco / White

*CR = Cromo / Chrome

*AU = Oro / Gold

Con Microswitch
With Microswitch



04480 08 000MIC	Nero / Black	500	1
------------------------	--------------	-----	---

Accessori per Minipad



Accessories for Minipad

Codice / Code	Finitura / Finish	 gr.	
Adattatore per maniglione per abbinamento al Kit Maniglia "Jolly" 04480 08 (Ricambio) <i>Adapter for panic exit device for combination with "Jolly" handle Kit 04480 08 (Spare Part)</i>			
04419 06 000	-	50	1




Codice / Code	 gr.	
Contropiastra a pavimento (Ricambio) / <i>Floor strike plate (Spare Part)</i>		
02400 02 000	70	10



Codice / Code	 gr.	
Contropiastra laterale e superiore completa di 4 spessori (Ricambio) <i>Lateral and upper strike plate including 4 ticknesses (Spare Part)</i>		
02400 03 000	40	10

Schemi di applicazione

Application patterns











Configurazioni per Porte ad Anta Singola

Compositions for Single Leaf Doors

X = Necessari / Necessary
 = Facoltativi / Optional
 = Alternativi / Alternative

xxx = Finiture e/o varianti (vedere listino)
 Finishes and/or variants (see price list)



	Centrale Central	42306xxx	X	X	X	X	X	X	X
	A/B Verticali Upper/Lower Vertical	0342900000xxx	-	X	X	-	-	-	-
	A/B Lateral Upper/Lower Lateral	0342900050xxx	-	-	-	X	X	-	-
	Alto Verticale Basso Laterale Upper Vertical Lower Lateral	0342900100/200xxx	-	-	-	-	-	X	X
	Kit Aste Verticali con Copriaste/Vertical Rods Kit with Covers	04444xxx	-	X	X	X	X	X	X
	Kit Maniglia Esterna External Handle Kit	0448008xxx	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Cilindro singolo Single Cylinder	04440xxx	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>


Anta Primaria / Primary Leaf

Configurazioni per Porte ad Anta Doppia

Compositions for Double Leaf Doors

- X = Necessari / Necessary
- = Facoltativi / Optional
- = Alternativi / Alternative

xxx = Finiture e/o varianti (vedere listino)
Finishes and/or variants (see price list)



	Centrale Central	42306xxx	X	X	X	X	Anta Primaria / Primary Leaf
	A/B Verticali Upper/Lower Vertical	0342900000xxx	-	X	-	-	
	A/B Lateral Upper/Lower Lateral	0342900050xxx	-	-	X	X	
	Alto Verticale Basso Laterale Upper Vertical Lower Lateral	0342900100/200xxx	-	-	-	-	
	Kit Aste Verticali con Copriaste/Vertical Rods Kit with Covers	04444xxx	-	X	X	X	
	Kit Maniglia Esterna External Handle Kit	0448008xxx	□ ●	□ ●	□ ●	□ ●	
	Cilindro singolo Single Cylinder	04440xxx	□ ●	□ ●	□ ●	□ ●	
	Centrale Central	42306xxx	X	X	X	X	Anta Secondaria/Secondary Leaf
	A/B Verticali Upper/Lower Vertical	0342900000xxx	X	X	X	X	
	Kit Aste Verticali con Copriaste/Vertical Rods Kit with Covers	04444xxx	X	X	X	X	



ASSA ABLOY Italia S.p.A.
Via Bovaresa 13 - 40017 San Giovanni in Persiceto (BO) Italy
Tel. +39 051 6812411 - Fax +39 051 827486
info@assaabloy.it - www.assaabloy.it

ASSA ABLOY Italia S.p.A. si riserva di apportare in qualunque momento e senza preavviso le modifiche necessarie per migliorare ed evolvere le caratteristiche dei propri prodotti. Fotografie, illustrazioni e descrizioni sono da ritenersi indicative.
ASSA ABLOY Italia S.p.A. reserves the right at any time, and without notice, the necessary modifications in order to improve and evolve the characteristics of their products. Photographs, illustrations and descriptions ought to be considered as indicative.

H001D12 / 05-2013

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

www.assaabloy.com

